Approved For Release 2002/11/20 : CIA-RDP84-00780R001400020004-3



45 FEB 1966

Mr. Bannerman:

25X1

The attached tabulation represents in my view a logical and arithmetically sound basis for planning the disposition of SODP incumbents. It is consistent with experience to date.

Obviously, any program of this magnitude will not be affected significantly by the SODP ceiling of 11 which we now have for Fiscal Year 1967. Furthermore, in our Five-Year Projection it will do little good to raise anew the issue of an enlarged SODP ceiling. We therefore have little choice except to slot SODP trainees against the T.O.'s of the using offices. This will permit you at some future date to utilize some of this ceiling of 11 for taking care of such pressing matters as the reorganization of the Office of Personnel and the Group.

ين ا	1		25X1
	÷	Approved For Release 2002/11/20: CIA-RDP84-0078	30R001400020004-300 know
		Mr. Ban	merman acked for
		this when	it was decided that
		official a	esignment of SODP menter
		but still	administred Centrally.
			ill you and Frank please
		•	and the same of the
25X1		remen	
		DDS.	25X1

Attached is a projection of ceiling requirements for Support Development Program participants for the first five years of Program operation.

In doing the projection a number of assumptions were made:

- a. DD/P will absorb a maximum of 60--building up at the rate of 15 each six months.
- b. The classes will remain at 25 individuals per running (OTR may up to 30 if they can get the trainees).
- c. Attrition will be 8% for each class over the period and will be during or shortly after each group takes the Support Services Course.
- d. CTP can accommodate those trainees assigned here at Head-quarters for a year after completion of each running of the Course.

If the attached "proves out" we will need DD/S ceiling for 146 trainees by December of 1969.

ル人 HLB

Att: Ceiling Requirements

Approved For Release 2002/11/20: CIA-RDP84-00780R001400020004-3 CT Projections - 10 Classes - 25 Each - 8% Attrition Each Class

Ceiling Class	C T		c	C T	Oec D D D S	C	C T		e C		D	c C	C	67 Jun D U S	e	C T	67 D D D S	C	68 June C D T D C P S S		68 Dec C D T D C P S S			69 June CD TDC PSS			69 Dec C D T D C P S S		
Ž.	8	l	5	8		15		8	15		8	15		31	2 -		21	2		0	A		19			23	9	?	. 9
2		er terreta parago		8.		15	8		15		8	15		ε.	15_		21	2	<u> </u>	21	2		19	.4		19	ģ	2	1 2
3				hayyala miha m			8		15	8	*****	15			15		3	15		21	2		21	2		19		1) 4
4								-	TO NO. MA	8		15	8		15		8	15		8	15		21	2		2.1	2	1:) 4
5				~						ļ			μ	etro com	13	10		13		10	13		10	13		2)	2	2	1 2
6	***		1													10		13	10		13		10	13		10	13	2	1 2
7			-																(1)		11	12		il		12	i	r	2 11
8			7																			12		il.	12		i i	17	
9 1			7										ļ												, 2		l i	12	ſ. Ź.
10		·	1										ļ	erromati i m				er com material, e su						1. 1. 18h 18h				12	ļ.
Ceiling	8	15	5	16		30	16	8	45	ΙÓ	16	50	18	37	60	20	58	60	22	79	60	24	10		24	129	 	241	46 AN

Above assumes CT can carry those remaining at Hdqrs, one year after Support Services Course completion.

Approved For Release 2002/11/20 : CIA-RDP84-00780R001400020004-3

oroved For Tracker 194	2061 /1 3/20 P: CIA	^{re} \-F<u>I</u>CyP\$4-190 7}8g F	R0014 0 0020004-3
TO:	Sannerman via N	Mr. Warfield a	nd
ROOM NO.	BUILDING		
REMARKS:			· · · · · · · · · · · · · · · · · · ·
FROM:	JHP		
ROOM NO.	BUILDING 2002/11/20 : CIA	EXTENSIO 4-RDP84-00780F	N R001400020004-3
FORM NO 241	REPLACES FORM 36-8 WHICH MAY BE USED.	☆ GPO:1957—O-439445	(47)

STAT